



PROPORCIONÁLIS SZELEP - REZGÉSÁLLÓ

T7800 sorozat

TD7800-404

Fairchild termékek

rotork
Fairchild

- Levegő és semleges gázok nyomásszabályozására
- Szabályozási tartomány 0-2 bar ... 0-8 bar
- Áramlás akár 312 l/min
- Pontosság: 0,25% a szabályozási tartományban
- Opció: ATEX , Exia













TERMÉKLEÍRÁS

MŰSZAKI ADATOK

Air Consumption Max	5,5 l/min
Hysteresis with booster	<0,25 % (PMR)
Hysteresis without booster	<0,1 % (PMR)
IP-osztály	IP65
Környezeti hőmérséklet eddig:	71 °C
Környezeti hőmérséklet ettől:	-40 °C
Linearitás	<0,2 % (PMR)

Model	Elektrikus anélkül	Üzemeltetés	Klasszifikáció	Model	Statisztika
E	A 1/2 NPT	C 1/2 NPT	1 1/2 NPT	17800	8 1/2 NPT
	B 1/2 NPT	D 1/2 NPT	2 1/2 NPT		9 1/2 NPT
	C 1/2 NPT	E 1/2 NPT	3 1/2 NPT		10 1/2 NPT
	D 1/2 NPT	F 1/2 NPT	4 1/2 NPT		11 1/2 NPT
	E 1/2 NPT	G 1/2 NPT	5 1/2 NPT		12 1/2 NPT
	F 1/2 NPT	H 1/2 NPT	6 1/2 NPT		13 1/2 NPT
	G 1/2 NPT	I 1/2 NPT	7 1/2 NPT		14 1/2 NPT
	H 1/2 NPT	J 1/2 NPT	8 1/2 NPT		15 1/2 NPT
	I 1/2 NPT	K 1/2 NPT	9 1/2 NPT		16 1/2 NPT
	J 1/2 NPT	L 1/2 NPT	10 1/2 NPT		17 1/2 NPT
	K 1/2 NPT	M 1/2 NPT	11 1/2 NPT		18 1/2 NPT
	L 1/2 NPT	N 1/2 NPT	12 1/2 NPT		19 1/2 NPT
	M 1/2 NPT	O 1/2 NPT	13 1/2 NPT		20 1/2 NPT
	N 1/2 NPT	P 1/2 NPT	14 1/2 NPT		21 1/2 NPT
	O 1/2 NPT	Q 1/2 NPT	15 1/2 NPT		22 1/2 NPT
	P 1/2 NPT	R 1/2 NPT	16 1/2 NPT		23 1/2 NPT
	Q 1/2 NPT	S 1/2 NPT	17 1/2 NPT		24 1/2 NPT
	R 1/2 NPT	T 1/2 NPT	18 1/2 NPT		25 1/2 NPT
	S 1/2 NPT	U 1/2 NPT	19 1/2 NPT		26 1/2 NPT
	T 1/2 NPT	V 1/2 NPT	20 1/2 NPT		27 1/2 NPT
	U 1/2 NPT	W 1/2 NPT	21 1/2 NPT		28 1/2 NPT
	V 1/2 NPT	X 1/2 NPT	22 1/2 NPT		29 1/2 NPT
	W 1/2 NPT	Y 1/2 NPT	23 1/2 NPT		30 1/2 NPT
	X 1/2 NPT	Z 1/2 NPT	24 1/2 NPT		31 1/2 NPT
	Y 1/2 NPT	AA 1/2 NPT	25 1/2 NPT		32 1/2 NPT
	Z 1/2 NPT	AB 1/2 NPT	26 1/2 NPT		33 1/2 NPT
	AA 1/2 NPT	AC 1/2 NPT	27 1/2 NPT		34 1/2 NPT
	AB 1/2 NPT	AD 1/2 NPT	28 1/2 NPT		35 1/2 NPT
	AC 1/2 NPT	AE 1/2 NPT	29 1/2 NPT		36 1/2 NPT
	AD 1/2 NPT	AF 1/2 NPT	30 1/2 NPT		37 1/2 NPT
	AE 1/2 NPT	AG 1/2 NPT	31 1/2 NPT		38 1/2 NPT
	AF 1/2 NPT	AH 1/2 NPT	32 1/2 NPT		39 1/2 NPT
	AG 1/2 NPT	AI 1/2 NPT	33 1/2 NPT		40 1/2 NPT
	AH 1/2 NPT	AJ 1/2 NPT	34 1/2 NPT		41 1/2 NPT
	AI 1/2 NPT	AK 1/2 NPT	35 1/2 NPT		42 1/2 NPT
	AJ 1/2 NPT	AL 1/2 NPT	36 1/2 NPT		43 1/2 NPT
	AK 1/2 NPT	AM 1/2 NPT	37 1/2 NPT		44 1/2 NPT
	AL 1/2 NPT	AN 1/2 NPT	38 1/2 NPT		45 1/2 NPT
	AM 1/2 NPT	AO 1/2 NPT	39 1/2 NPT		46 1/2 NPT
	AN 1/2 NPT	AP 1/2 NPT	40 1/2 NPT		47 1/2 NPT
	AO 1/2 NPT	AQ 1/2 NPT	41 1/2 NPT		48 1/2 NPT
	AP 1/2 NPT	AR 1/2 NPT	42 1/2 NPT		49 1/2 NPT
	AQ 1/2 NPT	AS 1/2 NPT	43 1/2 NPT		50 1/2 NPT
	AR 1/2 NPT	AT 1/2 NPT	44 1/2 NPT		51 1/2 NPT
	AS 1/2 NPT	AU 1/2 NPT	45 1/2 NPT		52 1/2 NPT
	AT 1/2 NPT	AV 1/2 NPT	46 1/2 NPT		53 1/2 NPT
	AU 1/2 NPT	AW 1/2 NPT	47 1/2 NPT		54 1/2 NPT
	AV 1/2 NPT	AX 1/2 NPT	48 1/2 NPT		55 1/2 NPT
	AW 1/2 NPT	AY 1/2 NPT	49 1/2 NPT		56 1/2 NPT
	AX 1/2 NPT	AZ 1/2 NPT	50 1/2 NPT		57 1/2 NPT
	AY 1/2 NPT	BA 1/2 NPT	51 1/2 NPT		58 1/2 NPT
	AZ 1/2 NPT	BB 1/2 NPT	52 1/2 NPT		59 1/2 NPT
	BA 1/2 NPT	BC 1/2 NPT	53 1/2 NPT		60 1/2 NPT
	BB 1/2 NPT	BD 1/2 NPT	54 1/2 NPT		61 1/2 NPT
	BC 1/2 NPT	BE 1/2 NPT	55 1/2 NPT		62 1/2 NPT
	BD 1/2 NPT	BF 1/2 NPT	56 1/2 NPT		63 1/2 NPT
	BE 1/2 NPT	BG 1/2 NPT	57 1/2 NPT		64 1/2 NPT
	BF 1/2 NPT	BH 1/2 NPT	58 1/2 NPT		65 1/2 NPT
	BG 1/2 NPT	BI 1/2 NPT	59 1/2 NPT		66 1/2 NPT
	BH 1/2 NPT	BJ 1/2 NPT	60 1/2 NPT		67 1/2 NPT
	BI 1/2 NPT	BK 1/2 NPT	61 1/2 NPT		68 1/2 NPT
	BJ 1/2 NPT	BL 1/2 NPT	62 1/2 NPT		69 1/2 NPT
	BK 1/2 NPT	BM 1/2 NPT	63 1/2 NPT		70 1/2 NPT
	BL 1/2 NPT	BN 1/2 NPT	64 1/2 NPT		71 1/2 NPT
	BM 1/2 NPT	BO 1/2 NPT	65 1/2 NPT		72 1/2 NPT
	BN 1/2 NPT	BP 1/2 NPT	66 1/2 NPT		73 1/2 NPT
	BO 1/2 NPT	BQ 1/2 NPT	67 1/2 NPT		74 1/2 NPT
	BP 1/2 NPT	BR 1/2 NPT	68 1/2 NPT		75 1/2 NPT
	BQ 1/2 NPT	BS 1/2 NPT	69 1/2 NPT		76 1/2 NPT
	BR 1/2 NPT	BT 1/2 NPT	70 1/2 NPT		77 1/2 NPT
	BS 1/2 NPT	BU 1/2 NPT	71 1/2 NPT		78 1/2 NPT
	BT 1/2 NPT	BV 1/2 NPT	72 1/2 NPT		79 1/2 NPT
	BU 1/2 NPT	BW 1/2 NPT	73 1/2 NPT		80 1/2 NPT
	BV 1/2 NPT	BX 1/2 NPT	74 1/2 NPT		81 1/2 NPT
	BW 1/2 NPT	BY 1/2 NPT	75 1/2 NPT		82 1/2 NPT
	BX 1/2 NPT	BZ 1/2 NPT	76 1/2 NPT		83 1/2 NPT
	BY 1/2 NPT	CA 1/2 NPT	77 1/2 NPT		84 1/2 NPT
	BZ 1/2 NPT	CB 1/2 NPT	78 1/2 NPT		85 1/2 NPT
	CA 1/2 NPT	CC 1/2 NPT	79 1/2 NPT		86 1/2 NPT
	CB 1/2 NPT	CD 1/2 NPT	80 1/2 NPT		87 1/2 NPT
	CC 1/2 NPT	CE 1/2 NPT	81 1/2 NPT		88 1/2 NPT
	CD 1/2 NPT	CF 1/2 NPT	82 1/2 NPT		89 1/2 NPT
	CE 1/2 NPT	CG 1/2 NPT	83 1/2 NPT		90 1/2 NPT
	CF 1/2 NPT	CH 1/2 NPT	84 1/2 NPT		91 1/2 NPT
	CG 1/2 NPT	CI 1/2 NPT	85 1/2 NPT		92 1/2 NPT
	CH 1/2 NPT	CJ 1/2 NPT	86 1/2 NPT		93 1/2 NPT
	CI 1/2 NPT	CK 1/2 NPT	87 1/2 NPT		94 1/2 NPT
	CJ 1/2 NPT	CL 1/2 NPT	88 1/2 NPT		95 1/2 NPT
	CK 1/2 NPT	CM 1/2 NPT	89 1/2 NPT		96 1/2 NPT
	CL 1/2 NPT	CN 1/2 NPT	90 1/2 NPT		97 1/2 NPT
	CM 1/2 NPT	CO 1/2 NPT	91 1/2 NPT		98 1/2 NPT
	CN 1/2 NPT	CP 1/2 NPT	92 1/2 NPT		99 1/2 NPT
	CO 1/2 NPT	CQ 1/2 NPT	93 1/2 NPT		100 1/2 NPT
	CP 1/2 NPT	CR 1/2 NPT	94 1/2 NPT		101 1/2 NPT
	CQ 1/2 NPT	CS 1/2 NPT	95 1/2 NPT		102 1/2 NPT
	CR 1/2 NPT	CT 1/2 NPT	96 1/2 NPT		103 1/2 NPT
	CS 1/2 NPT	CU 1/2 NPT	97 1/2 NPT		104 1/2 NPT
	CT 1/2 NPT	CV 1/2 NPT	98 1/2 NPT		105 1/2 NPT
	CU 1/2 NPT	CW 1/2 NPT	99 1/2 NPT		106 1/2 NPT
	CV 1/2 NPT	CX 1/2 NPT	100 1/2 NPT		107 1/2 NPT
	CW 1/2 NPT	CY 1/2 NPT	101 1/2 NPT		108 1/2 NPT
	CX 1/2 NPT	CZ 1/2 NPT	102 1/2 NPT		109 1/2 NPT
	CY 1/2 NPT	DA 1/2 NPT	103 1/2 NPT		110 1/2 NPT
	CZ 1/2 NPT	DB 1/2 NPT	104 1/2 NPT		111 1/2 NPT
	DA 1/2 NPT	DC 1/2 NPT	105 1/2 NPT		112 1/2 NPT
	DB 1/2 NPT	DD 1/2 NPT	106 1/2 NPT		113 1/2 NPT
	DC 1/2 NPT	DE 1/2 NPT	107 1/2 NPT		114 1/2 NPT
	DE 1/2 NPT	DF 1/2 NPT	108 1/2 NPT		115 1/2 NPT
	DF 1/2 NPT	DG 1/2 NPT	109 1/2 NPT		116 1/2 NPT
	DG 1/2 NPT	DH 1/2 NPT	110 1/2 NPT		117 1/2 NPT
	DH 1/2 NPT	DI 1/2 NPT	111 1/2 NPT		118 1/2 NPT
	DI 1/2 NPT	DJ 1/2 NPT	112 1/2 NPT		119 1/2 NPT
	DJ 1/2 NPT	DK 1/2 NPT	113 1/2 NPT		120 1/2 NPT
	DK 1/2 NPT	DL 1/2 NPT	114 1/2 NPT		121 1/2 NPT
	DL 1/2 NPT	DM 1/2 NPT	115 1/2 NPT		122 1/2 NPT
	DM 1/2 NPT	DN 1/2 NPT	116 1/2 NPT		123 1/2 NPT
	DN 1/2 NPT	DO 1/2 NPT	117 1/2 NPT		124 1/2 NPT
	DO 1/2 NPT	DP 1/2 NPT	118 1/2 NPT		125 1/2 NPT
	DP 1/2 NPT	DQ 1/2 NPT	119 1/2 NPT		126 1/2 NPT
	DQ 1/2 NPT	DR 1/2 NPT	120 1/2 NPT		127 1/2 NPT
	DR 1/2 NPT	DS 1/2 NPT	121 1/2 NPT		128 1/2 NPT
	DS 1/2 NPT	DT 1/2 NPT	122 1/2 NPT		129 1/2 NPT
	DT 1/2 NPT	DU 1/2 NPT	123 1/2 NPT		130 1/2 NPT
	DU 1/2 NPT	DV 1/2 NPT	124 1/2 NPT		131 1/2 NPT
	DV 1/2 NPT	DW 1/2 NPT	125 1/2 NPT		132 1/2 NPT
	DW 1/2 NPT	DX 1/2 NPT	126 1/2 NPT		133 1/2 NPT
	DX 1/2 NPT	DY 1/2 NPT	127 1/2 NPT		134 1/2 NPT
	DY 1/2 NPT	DZ 1/2 NPT	128 1/2 NPT		135 1/2 NPT
	DZ 1/2 NPT	EA 1/2 NPT	129 1/2 NPT		136 1/2 NPT
	EA 1/2 NPT	EB 1/2 NPT	130 1/2 NPT		137 1/2 NPT
	EB 1/2 NPT	EC 1/2 NPT	131 1/2 NPT		138 1/2 NPT
	EC 1/2 NPT	ED 1/2 NPT	132 1/2 NPT		139 1/2 NPT
	ED 1/2 NPT	EE 1/2 NPT	133 1/2 NPT		140 1/2 NPT
	EE 1/2 NPT	EF 1/2 NPT	134 1/2 NPT		141 1/2 NPT
	EF 1/2 NPT	EG 1/2 NPT	135 1/2 NPT		142 1/2 NPT
	EG 1/2 NPT	EH 1/2 NPT	136 1/2 NPT		143 1/2 NPT
	EH 1/2 NPT	EI 1/2 NPT	137 1/2 NPT		144 1/2 NPT
	EI 1/2 NPT	EJ 1/2 NPT	138 1/2 NPT		145 1/2 NPT
	EJ 1/2 NPT	EK 1/2 NPT	139 1/2 NPT		146 1/2 NPT
	EK 1/2 NPT	EL 1/2 NPT	140 1/2 NPT		147 1/2 NPT
	EL 1/2 NPT	EM 1/2 NPT	141 1/2 NPT		148 1/2 NPT
	EM 1/2 NPT	EN 1/2 NPT	142 1/2 NPT		149 1/2 NPT
	EN 1/2 NPT	EO 1/2 NPT	143 1/2 NPT		150 1/2 NPT
	EO 1/2 NPT	EP 1/2 NPT	144 1/2 NPT		151 1/2 NPT
	EP 1/2 NPT	EQ 1/2 NPT	145 1/2 NPT		152 1/2 NPT
	EQ 1/2 NPT	ER 1/2 NPT	146 1/2 NPT		153 1/2 NPT
	ER 1/2 NPT	ES 1/2 NPT	147 1/2 NPT		154 1/2 NPT
	ES 1/2 NPT	ET 1/2 NPT	148 1/2 NPT		155 1/2 NPT
	ET 1/2 NPT	EU 1/2 NPT	149 1/2 NPT		156 1/2 NPT
	EU 1/2 NPT	EV 1/2 NPT	150 1/2 NPT		157 1/2 NPT
	EV 1/2 NPT	EW 1/2 NPT	151 1/2 NPT		158 1/2 NPT
	EW 1/2 NPT	EX 1/2 NPT	152 1/2 NPT		159 1/2 NPT
	EX 1/2 NPT	EY 1/2 NPT	153 1/2 NPT		160 1/2 NPT
	EY 1/2 NPT	EZ 1/2 NPT	154 1/2 NPT		161 1/2 NPT
	EZ 1/2 NPT	FA 1/2 NPT	155 1/2 NPT		162 1/2 NPT
	FA 1/2 NPT	FB 1/2 NPT	156 1/2 NPT		163 1/2 NPT
	FB 1/2 NPT	FC 1/2 NPT	157 1/2 NPT		164 1/2 NPT
	FC 1/2 NPT	FD 1/2 NPT	158 1/2 NPT		165 1/2 NPT
	FD 1/2 NPT	FE 1/2 NPT	159 1/2 NPT		166 1/2 NPT
	FE 1/2 NPT	FF 1/2 NPT	160 1/2 NPT		167 1/2 NPT
	FF 1/2 NPT	FG 1/2 NPT	161 1/2 NPT		168 1/2 NPT
	FG 1/2 NPT	FH 1/2 NPT	162 1/2 NPT		169 1/2 NPT
	FH 1/2 NPT	FI 1/2 NPT	163 1/2 NPT		170 1/2 NPT
	FI 1/2 NPT	FJ 1/2 NPT	164 1/2 NPT		171 1/2 NPT
	FJ 1/2 NPT	FK 1/2 NPT	165 1/2 NPT		172 1/2 NPT
	FK 1/2 NPT	FL 1/2 NPT	166 1/2 NPT		173 1/2 NPT
	FL 1/2 NPT	FM 1/2 NPT	167 1/2 NPT		174 1/2 NPT
	FM 1/2 NPT	FN 1/2 NPT	168 1/2 NPT		175 1/2 NPT
	FN 1/2 NPT	FO 1/2 NPT	169 1/2 NPT		176 1/2 NPT
	FO 1/2 NPT	FP 1/2 NPT	170 1/2 NPT		177 1/2 NPT
	FP 1/2 NPT	FQ 1/2 NPT	171 1/2 NPT		178 1/2 NPT
	FQ 1/2 NPT	FR 1/2 NPT	172 1/2 NPT		179 1/2 NPT
	FR 1/2 NPT	FS 1/2 NPT	173 1/2 NPT		180 1/2 NPT
	FS 1/2 NPT	FT 1/2 NPT	174 1/2 NPT		181 1/2 NPT
	FT 1/2 NPT	FU 1/2 NPT	175 1/2 NPT		182 1/2 NPT
	FU 1/2 NPT	FV 1/2 NPT	176 1/2 NPT		183 1/2 NPT
	FV 1/2 NPT	FW 1/2 NPT	177 1/2 NPT		184 1/2 NPT
	FW 1/2 NPT	FX 1/2 NPT	178 1/2 NPT		185 1/2 NPT
	FX 1/2 NPT	FY 1/2 NPT	179 1/2 NPT		186 1/2 NPT
	FY 1/2 NPT	FZ 1/2 NPT	180 1/2 NPT		187 1/2 NPT
	FZ 1/2 NPT	GA 1/2 NPT	181 1/2 NPT		188 1/2 NPT
	GA 1/2 NPT	GB 1/2 NPT	182 1/2 NPT		189 1/2 NPT
	GB 1/2 NPT	GC 1/2 NPT	183 1/2 NPT		190 1/2 NPT
	GC 1/2 NPT	GD 1/2 NPT	184 1/2 NPT		191 1

Stift	Funktion
1	Positiv (+)
2	Negativ (-)
3	Används ej
4	Jord (≡)



Modell	Elektronik-användning	Godkännande	Klassering	Modell	Styrprogram
A	1/2 NPT	CE European Standards (CE)	1. Non-Invasive 1	7900	9.0 to 10.0°C
B	1/2 NPT	CE European Standards (CE)	2. Non-Invasive 2		4.0 to 10.0°C
C	1/2 NPT	CE European Standards (CE)	3. Non-Invasive 3		1.0 to 10.0°C
D	1/2 NPT	CE European Standards (CE)	4. Non-Invasive 4		1.0 to 10.0°C
E	1/2 NPT	CE European Standards (CE)	5. Non-Invasive 5		1.0 to 10.0°C
F	1/2 NPT	CE European Standards (CE)	6. Non-Invasive 6		1.0 to 10.0°C
G	1/2 NPT	CE European Standards (CE)	7. Non-Invasive 7		1.0 to 10.0°C
H	1/2 NPT	CE European Standards (CE)	8. Non-Invasive 8		1.0 to 10.0°C
I	1/2 NPT	CE European Standards (CE)	9. Non-Invasive 9		1.0 to 10.0°C
J	1/2 NPT	CE European Standards (CE)	10. Non-Invasive 10		1.0 to 10.0°C
K	1/2 NPT	CE European Standards (CE)	11. Non-Invasive 11		1.0 to 10.0°C
L	1/2 NPT	CE European Standards (CE)	12. Non-Invasive 12		1.0 to 10.0°C
M	1/2 NPT	CE European Standards (CE)	13. Non-Invasive 13		1.0 to 10.0°C
N	1/2 NPT	CE European Standards (CE)	14. Non-Invasive 14		1.0 to 10.0°C
O	1/2 NPT	CE European Standards (CE)	15. Non-Invasive 15		1.0 to 10.0°C
P	1/2 NPT	CE European Standards (CE)	16. Non-Invasive 16		1.0 to 10.0°C
Q	1/2 NPT	CE European Standards (CE)	17. Non-Invasive 17		1.0 to 10.0°C
R	1/2 NPT	CE European Standards (CE)	18. Non-Invasive 18		1.0 to 10.0°C
S	1/2 NPT	CE European Standards (CE)	19. Non-Invasive 19		1.0 to 10.0°C
T	1/2 NPT	CE European Standards (CE)	20. Non-Invasive 20		1.0 to 10.0°C

Stift	Funktion
1	Positiv (+)
2	Negativ (-)
3	Används ej
4	Jord (≡)

