



Vizsgálat

rotork
Fairchild

PROPORCIONÁLIS SZELEP - REZGÉSÁLLÓ

T7800 sorozat

TD7800-406

Fairchild termékek

- Levegő és semleges gázok nyomásszabályozására
- Szabályozási tartomány 0-2 bar ... 0-8 bar
- Áramlás akár 312 l/min
- Pontosság: 0,25% a szabályozási tartományban
- Opció: ATEX , Exia













TERMÉKLEÍRÁS

MŰSZAKI ADATOK

Air Consumption Max	7 l/min
Hysteresis with booster	<0,25 % (PMR)
Hysteresis without booster	<0,1 % (PMR)
IP-osztály	IP65
Környezeti hőmérséklet eddig:	71 °C
Környezeti hőmérséklet ettől:	-40 °C
Linearitás	<0,2 % (PMR)

Model	Elektronikus átváltás	Gáz/áramlás	Klasszifikáció	Model	Átváltás
E	A 1/2 NPT	C 1/2 inch	1 1/2 inch	Model	Átváltás
B	1/4 inch	D 1/4 inch	1/2 inch		
C	1/8 inch	E 1/8 inch	1/4 inch		
D	1/16 inch	F 1/16 inch	1/16 inch		
E	1/32 inch	G 1/32 inch	1/32 inch		
F	1/64 inch	H 1/64 inch	1/64 inch		
G	1/128 inch	I 1/128 inch	1/128 inch		
H	1/256 inch	J 1/256 inch	1/256 inch		
I	1/512 inch	K 1/512 inch	1/512 inch		
J	1/1024 inch	L 1/1024 inch	1/1024 inch		
K	1/2048 inch	M 1/2048 inch	1/2048 inch		
L	1/4096 inch	N 1/4096 inch	1/4096 inch		
M	1/8192 inch	O 1/8192 inch	1/8192 inch		
N	1/16384 inch	P 1/16384 inch	1/16384 inch		
O	1/32768 inch	Q 1/32768 inch	1/32768 inch		
P	1/65536 inch	R 1/65536 inch	1/65536 inch		
Q	1/131072 inch	S 1/131072 inch	1/131072 inch		
R	1/262144 inch	T 1/262144 inch	1/262144 inch		
S	1/524288 inch	U 1/524288 inch	1/524288 inch		
T	1/1048576 inch	V 1/1048576 inch	1/1048576 inch		
U	1/2097152 inch	W 1/2097152 inch	1/2097152 inch		
V	1/4194304 inch	X 1/4194304 inch	1/4194304 inch		
W	1/8388608 inch	Y 1/8388608 inch	1/8388608 inch		
X	1/16777216 inch	Z 1/16777216 inch	1/16777216 inch		
Y	1/33554432 inch	AA 1/33554432 inch	1/33554432 inch		
Z	1/67108864 inch	AB 1/67108864 inch	1/67108864 inch		
AA	1/134217728 inch	AC 1/134217728 inch	1/134217728 inch		
AB	1/268435456 inch	AD 1/268435456 inch	1/268435456 inch		
AC	1/536870912 inch	AE 1/536870912 inch	1/536870912 inch		
AD	1/1073741824 inch	AF 1/1073741824 inch	1/1073741824 inch		
AE	1/2147483648 inch	AG 1/2147483648 inch	1/2147483648 inch		
AF	1/4294967296 inch	AH 1/4294967296 inch	1/4294967296 inch		
AG	1/8589934592 inch	AI 1/8589934592 inch	1/8589934592 inch		
AH	1/17179869184 inch	AJ 1/17179869184 inch	1/17179869184 inch		
AI	1/34359738368 inch	AK 1/34359738368 inch	1/34359738368 inch		
AJ	1/68719476736 inch	AL 1/68719476736 inch	1/68719476736 inch		
AK	1/137438953472 inch	AM 1/137438953472 inch	1/137438953472 inch		
AL	1/274877906944 inch	AN 1/274877906944 inch	1/274877906944 inch		
AM	1/549755813888 inch	AO 1/549755813888 inch	1/549755813888 inch		
AN	1/1099511627776 inch	AP 1/1099511627776 inch	1/1099511627776 inch		
AO	1/2199023255552 inch	AQ 1/2199023255552 inch	1/2199023255552 inch		
AP	1/4398046511104 inch	AR 1/4398046511104 inch	1/4398046511104 inch		
AQ	1/8796093022208 inch	AS 1/8796093022208 inch	1/8796093022208 inch		
AR	1/17592186044416 inch	AT 1/17592186044416 inch	1/17592186044416 inch		
AS	1/35184372088832 inch	AU 1/35184372088832 inch	1/35184372088832 inch		
AT	1/70368744177664 inch	AV 1/70368744177664 inch	1/70368744177664 inch		
AU	1/140737488355328 inch	AW 1/140737488355328 inch	1/140737488355328 inch		
AV	1/281474976710656 inch	AX 1/281474976710656 inch	1/281474976710656 inch		
AW	1/562949953421312 inch	AY 1/562949953421312 inch	1/562949953421312 inch		
AX	1/1125899906842624 inch	AZ 1/1125899906842624 inch	1/1125899906842624 inch		
AY	1/2251799813685248 inch	BA 1/2251799813685248 inch	1/2251799813685248 inch		
AZ	1/4503599627370496 inch	BB 1/4503599627370496 inch	1/4503599627370496 inch		
BA	1/9007199254740992 inch	BC 1/9007199254740992 inch	1/9007199254740992 inch		
BB	1/18014398509481984 inch	BD 1/18014398509481984 inch	1/18014398509481984 inch		
BC	1/36028797018963968 inch	BE 1/36028797018963968 inch	1/36028797018963968 inch		
BD	1/72057594037927936 inch	BF 1/72057594037927936 inch	1/72057594037927936 inch		
BE	1/144115188075855872 inch	BG 1/144115188075855872 inch	1/144115188075855872 inch		
BF	1/288230376151711744 inch	BH 1/288230376151711744 inch	1/288230376151711744 inch		
BG	1/576460752303423488 inch	BI 1/576460752303423488 inch	1/576460752303423488 inch		
BH	1/1152921504606846976 inch	BJ 1/1152921504606846976 inch	1/1152921504606846976 inch		
BI	1/2305843009213693952 inch	BK 1/2305843009213693952 inch	1/2305843009213693952 inch		
BJ	1/4611686018427387904 inch	BL 1/4611686018427387904 inch	1/4611686018427387904 inch		
BK	1/9223372036854775808 inch	BM 1/9223372036854775808 inch	1/9223372036854775808 inch		
BL	1/18446744073709551616 inch	BN 1/18446744073709551616 inch	1/18446744073709551616 inch		
BM	1/36893488147419103232 inch	BO 1/36893488147419103232 inch	1/36893488147419103232 inch		
BN	1/73786976294838206464 inch	BP 1/73786976294838206464 inch	1/73786976294838206464 inch		
BO	1/147573952589676412928 inch	BQ 1/147573952589676412928 inch	1/147573952589676412928 inch		
BP	1/295147905179352825856 inch	BR 1/295147905179352825856 inch	1/295147905179352825856 inch		
BQ	1/590295810358705651712 inch	BS 1/590295810358705651712 inch	1/590295810358705651712 inch		
BR	1/1180591620717411303424 inch	BT 1/1180591620717411303424 inch	1/1180591620717411303424 inch		
BS	1/2361183241434822606848 inch	BU 1/2361183241434822606848 inch	1/2361183241434822606848 inch		
BT	1/4722366482869645213696 inch	BV 1/4722366482869645213696 inch	1/4722366482869645213696 inch		
BU	1/9444732965739290427392 inch	BW 1/9444732965739290427392 inch	1/9444732965739290427392 inch		
BV	1/18889465931478580854784 inch	BX 1/18889465931478580854784 inch	1/18889465931478580854784 inch		
BW	1/37778931862957161709568 inch	BY 1/37778931862957161709568 inch	1/37778931862957161709568 inch		
BX	1/75557863725914323419136 inch	BZ 1/75557863725914323419136 inch	1/75557863725914323419136 inch		
BY	1/151115727451828646838272 inch	CA 1/151115727451828646838272 inch	1/151115727451828646838272 inch		
BZ	1/302231454903657293676544 inch	CB 1/302231454903657293676544 inch	1/302231454903657293676544 inch		
CA	1/604462909807314587353088 inch	CC 1/604462909807314587353088 inch	1/604462909807314587353088 inch		
CB	1/1208925819614629174706176 inch	CD 1/1208925819614629174706176 inch	1/1208925819614629174706176 inch		
CC	1/2417851639229258349412352 inch	CE 1/2417851639229258349412352 inch	1/2417851639229258349412352 inch		
CD	1/4835703278458516698824704 inch	CF 1/4835703278458516698824704 inch	1/4835703278458516698824704 inch		
CE	1/9671406556917033397649408 inch	CG 1/9671406556917033397649408 inch	1/9671406556917033397649408 inch		
CF	1/19342813113834066795298816 inch	CH 1/19342813113834066795298816 inch	1/19342813113834066795298816 inch		
CG	1/38685626227668133590597632 inch	CI 1/38685626227668133590597632 inch	1/38685626227668133590597632 inch		
CH	1/77371252455336267181195264 inch	CJ 1/77371252455336267181195264 inch	1/77371252455336267181195264 inch		
CI	1/154742504910672534362390528 inch	CK 1/154742504910672534362390528 inch	1/154742504910672534362390528 inch		
CJ	1/309485009821345068724781056 inch	CL 1/309485009821345068724781056 inch	1/309485009821345068724781056 inch		
CK	1/618970019642690137449562112 inch	CM 1/618970019642690137449562112 inch	1/618970019642690137449562112 inch		
CL	1/1237940039285380274899124224 inch	CN 1/1237940039285380274899124224 inch	1/1237940039285380274899124224 inch		
CM	1/2475880078570760549798248448 inch	CO 1/2475880078570760549798248448 inch	1/2475880078570760549798248448 inch		
CN	1/4951760157141521099596496896 inch	CP 1/4951760157141521099596496896 inch	1/4951760157141521099596496896 inch		
CO	1/9903520314283042199192993792 inch	CQ 1/9903520314283042199192993792 inch	1/9903520314283042199192993792 inch		
CP	1/19807040628566084398385987584 inch	CR 1/19807040628566084398385987584 inch	1/19807040628566084398385987584 inch		
CQ	1/39614081257132168796771975168 inch	CS 1/39614081257132168796771975168 inch	1/39614081257132168796771975168 inch		
CR	1/79228162514264337593543950336 inch	CT 1/79228162514264337593543950336 inch	1/79228162514264337593543950336 inch		
CS	1/158456325028528675187087900672 inch	CU 1/158456325028528675187087900672 inch	1/158456325028528675187087900672 inch		
CT	1/316912650057057350374175801344 inch	CV 1/316912650057057350374175801344 inch	1/316912650057057350374175801344 inch		
CU	1/633825300114114700748351602688 inch	CW 1/633825300114114700748351602688 inch	1/633825300114114700748351602688 inch		
CV	1/1267650600228229401496703205376 inch	CX 1/1267650600228229401496703205376 inch	1/1267650600228229401496703205376 inch		
CW	1/2535301200456458802993406410752 inch	CY 1/2535301200456458802993406410752 inch	1/2535301200456458802993406410752 inch		
CX	1/5070602400912917605986812821504 inch	CZ 1/5070602400912917605986812821504 inch	1/5070602400912917605986812821504 inch		
CY	1/10141204801825835211973625643008 inch	CA 1/10141204801825835211973625643008 inch	1/10141204801825835211973625643008 inch		
CZ	1/20282409603651670423947251286016 inch	CB 1/20282409603651670423947251286016 inch	1/20282409603651670423947251286016 inch		
CA	1/40564819207303340847894502572032 inch	CC 1/40564819207303340847894502572032 inch	1/40564819207303340847894502572032 inch		
CB	1/81129638414606681695789005144064 inch	CD 1/81129638414606681695789005144064 inch	1/81129638414606681695789005144064 inch		
CC	1/162259276829213363911578010288128 inch	CE 1/162259276829213363911578010288128 inch	1/162259276829213363911578010288128 inch		
CD	1/324518553658426727823156020576256 inch	CF 1/324518553658426727823156020576256 inch	1/324518553658426727823156020576256 inch		
CE	1/649037107316853455646312041152512 inch	CG 1/649037107316853455646312041152512 inch	1/649037107316853455646312041152512 inch		
CF	1/1298074214633706911292624082305024 inch	CH 1/1298074214633706911292624082305024 inch	1/1298074214633706911292624082305024 inch		
CG	1/2596148429267413822585248164610048 inch	CI 1/2596148429267413822585248164610048 inch	1/2596148429267413822585248164610048 inch		
CH	1/5192296858534827645170496329220096 inch	CJ 1/5192296858534827645170496329220096 inch	1/5192296858534827645170496329220096 inch		
CI	1/10384593717069655290340992658440192 inch	CK 1/10384593717069655290340992658440192 inch	1/10384593717069655290340992658440192 inch		
CJ	1/20769187434139310580681985316880384 inch	CL 1/20769187434139310580681985316880384 inch	1/20769187434139310580681985316880384 inch		
CK	1/41538374868278621161363970633760768 inch	CM 1/41538374868278621161363970633760768 inch	1/41538374868278621161363970633760768 inch		
CL	1/83076749736557242322727941267521536 inch	CN 1/83076749736557242322727941267521536 inch	1/83076749736557242322727941267521536 inch		
CM	1/16615349947311448464545588253504272 inch	CO 1/16615349947311448464545588253504272 inch	1/16615349947311448464545588253504272 inch		
CN	1/33230699894622896929091176507008544 inch	CP 1/33230699894622896929091176507008544 inch	1/33230699894622896929091176507008544 inch		
CO	1/66461399789245793858182353014017088 inch	CQ 1/66461399789245793858182353014017088 inch	1/66461399789245793858182353014017088 inch		
CP	1/132922799578491587716364706028034176 inch	CR 1/132922799578491587716364706028034176 inch	1/132922799578491587716364706028034176 inch		
CQ	1/265845599156983175432729412056068352 inch	CS 1/265845599156983175432729412056068352 inch	1/265845599156983175432729412056068352 inch		
CR	1/531691198313966350865458824112136704 inch	CT 1/531691198313966350865458824112136704 inch	1/531691198313966350865458824112136704 inch		
CS	1/10633823966279327017309176482242734				

Stift	Funktion
1	Positiv (+)
2	Negativ (-)
3	Används ej
4	Jord (≡)



Modell	Elektronik-användning	Godkännande	Klassering	Modell	Styrprogram
A	1/2-14 NPT	CE European Standards (CE)	1. Non-Invasive 1	7900	9.0 to 10.0 VDC
B	1/2-14 NPT	CE European Standards (CE)	2. Non-Invasive 2		4.0 to 10.0 VDC
C	1/2-14 NPT	CE European Standards (CE)	3. Non-Invasive 3		1.0 to 10.0 VDC
D	1/2-14 NPT	CE European Standards (CE)	4. Non-Invasive 4		1.0 to 10.0 VDC
E	1/2-14 NPT	CE European Standards (CE)	5. Non-Invasive 5		1.0 to 10.0 VDC
F	1/2-14 NPT	CE European Standards (CE)	6. Non-Invasive 6		1.0 to 10.0 VDC
G	1/2-14 NPT	CE European Standards (CE)	7. Non-Invasive 7		1.0 to 10.0 VDC
H	1/2-14 NPT	CE European Standards (CE)	8. Non-Invasive 8		1.0 to 10.0 VDC
I	1/2-14 NPT	CE European Standards (CE)	9. Non-Invasive 9		1.0 to 10.0 VDC
J	1/2-14 NPT	CE European Standards (CE)	10. Non-Invasive 10		1.0 to 10.0 VDC

Typkod	Titel
1. 1/2-14 NPT	1. 1/2-14 NPT
2. 1/2-14 NPT	2. 1/2-14 NPT
3. 1/2-14 NPT	3. 1/2-14 NPT
4. 1/2-14 NPT	4. 1/2-14 NPT
5. 1/2-14 NPT	5. 1/2-14 NPT
6. 1/2-14 NPT	6. 1/2-14 NPT
7. 1/2-14 NPT	7. 1/2-14 NPT
8. 1/2-14 NPT	8. 1/2-14 NPT
9. 1/2-14 NPT	9. 1/2-14 NPT
10. 1/2-14 NPT	10. 1/2-14 NPT

Stift	Funktion
1	Positiv (+)
2	Negativ (-)
3	Används ej
4	Jord (≡)

