



Vizsgálat

PROPORCIONÁLIS SZELEP - REZGÉSÁLLÓ

T7800 sorozat

TD7800-414

Fairchild termékek

rotork
Fairchild

- Levegő és semleges gázok nyomásszabályozására
- Szabályozási tartomány 0-2 bar ... 0-8 bar
- Áramlás akár 312 l/min
- Pontosság: 0,25% a szabályozási tartományban
- Opció: ATEX , Exia













TERMÉKLEÍRÁS

MŰSZAKI ADATOK

Air Consumption Max	5,5 l/min
Hysteresis with booster	<0,25 % (PMR)
Hysteresis without booster	<0,1 % (PMR)
IP-osztály	IP65
Környezeti hőmérséklet eddig:	71 °C
Környezeti hőmérséklet ettől:	-40 °C
Linearitás	<0,2 % (PMR)

Model	Elektronikus szabályozás	Gáz/levegő	Klasszifikáció	Model	Statisztika
T	A 1/2 NPT	C 1/2 NPT	1 1/2 NPT	17800	1 1/2 NPT
	B 1/2 NPT	E 1/2 NPT	2 1/2 NPT		2 1/2 NPT
	C 1/2 NPT	F 1/2 NPT	3 1/2 NPT		3 1/2 NPT
	D 1/2 NPT	G 1/2 NPT	4 1/2 NPT		4 1/2 NPT
	E 1/2 NPT	H 1/2 NPT	5 1/2 NPT		5 1/2 NPT
	F 1/2 NPT	I 1/2 NPT	6 1/2 NPT		6 1/2 NPT
	G 1/2 NPT	J 1/2 NPT	7 1/2 NPT		7 1/2 NPT
	H 1/2 NPT	K 1/2 NPT	8 1/2 NPT		8 1/2 NPT
	I 1/2 NPT	L 1/2 NPT	9 1/2 NPT		9 1/2 NPT
	J 1/2 NPT	M 1/2 NPT	10 1/2 NPT		10 1/2 NPT
	K 1/2 NPT	N 1/2 NPT	11 1/2 NPT		11 1/2 NPT
	L 1/2 NPT	O 1/2 NPT	12 1/2 NPT		12 1/2 NPT
	M 1/2 NPT	P 1/2 NPT	13 1/2 NPT		13 1/2 NPT
	N 1/2 NPT	Q 1/2 NPT	14 1/2 NPT		14 1/2 NPT
	O 1/2 NPT	R 1/2 NPT	15 1/2 NPT		15 1/2 NPT
	P 1/2 NPT	S 1/2 NPT	16 1/2 NPT		16 1/2 NPT
	Q 1/2 NPT	T 1/2 NPT	17 1/2 NPT		17 1/2 NPT
	R 1/2 NPT	U 1/2 NPT	18 1/2 NPT		18 1/2 NPT
	S 1/2 NPT	V 1/2 NPT	19 1/2 NPT		19 1/2 NPT
	T 1/2 NPT	W 1/2 NPT	20 1/2 NPT		20 1/2 NPT
	U 1/2 NPT	X 1/2 NPT	21 1/2 NPT		21 1/2 NPT
	V 1/2 NPT	Y 1/2 NPT	22 1/2 NPT		22 1/2 NPT
	W 1/2 NPT	Z 1/2 NPT	23 1/2 NPT		23 1/2 NPT
	X 1/2 NPT	AA 1/2 NPT	24 1/2 NPT		24 1/2 NPT
	Y 1/2 NPT	AB 1/2 NPT	25 1/2 NPT		25 1/2 NPT
	Z 1/2 NPT	AC 1/2 NPT	26 1/2 NPT		26 1/2 NPT
	AA 1/2 NPT	AD 1/2 NPT	27 1/2 NPT		27 1/2 NPT
	AB 1/2 NPT	AE 1/2 NPT	28 1/2 NPT		28 1/2 NPT
	AC 1/2 NPT	AF 1/2 NPT	29 1/2 NPT		29 1/2 NPT
	AD 1/2 NPT	AG 1/2 NPT	30 1/2 NPT		30 1/2 NPT
	AE 1/2 NPT	AH 1/2 NPT	31 1/2 NPT		31 1/2 NPT
	AF 1/2 NPT	AI 1/2 NPT	32 1/2 NPT		32 1/2 NPT
	AG 1/2 NPT	AJ 1/2 NPT	33 1/2 NPT		33 1/2 NPT
	AH 1/2 NPT	AK 1/2 NPT	34 1/2 NPT		34 1/2 NPT
	AI 1/2 NPT	AL 1/2 NPT	35 1/2 NPT		35 1/2 NPT
	AJ 1/2 NPT	AM 1/2 NPT	36 1/2 NPT		36 1/2 NPT
	AK 1/2 NPT	AN 1/2 NPT	37 1/2 NPT		37 1/2 NPT
	AL 1/2 NPT	AO 1/2 NPT	38 1/2 NPT		38 1/2 NPT
	AM 1/2 NPT	AP 1/2 NPT	39 1/2 NPT		39 1/2 NPT
	AN 1/2 NPT	AQ 1/2 NPT	40 1/2 NPT		40 1/2 NPT
	AO 1/2 NPT	AR 1/2 NPT	41 1/2 NPT		41 1/2 NPT
	AP 1/2 NPT	AS 1/2 NPT	42 1/2 NPT		42 1/2 NPT
	AQ 1/2 NPT	AT 1/2 NPT	43 1/2 NPT		43 1/2 NPT
	AR 1/2 NPT	AU 1/2 NPT	44 1/2 NPT		44 1/2 NPT
	AS 1/2 NPT	AV 1/2 NPT	45 1/2 NPT		45 1/2 NPT
	AT 1/2 NPT	AW 1/2 NPT	46 1/2 NPT		46 1/2 NPT
	AU 1/2 NPT	AX 1/2 NPT	47 1/2 NPT		47 1/2 NPT
	AV 1/2 NPT	AY 1/2 NPT	48 1/2 NPT		48 1/2 NPT
	AW 1/2 NPT	AZ 1/2 NPT	49 1/2 NPT		49 1/2 NPT
	AX 1/2 NPT	BA 1/2 NPT	50 1/2 NPT		50 1/2 NPT
	AY 1/2 NPT	BB 1/2 NPT	51 1/2 NPT		51 1/2 NPT
	AZ 1/2 NPT	BC 1/2 NPT	52 1/2 NPT		52 1/2 NPT
	BA 1/2 NPT	BD 1/2 NPT	53 1/2 NPT		53 1/2 NPT
	BB 1/2 NPT	BE 1/2 NPT	54 1/2 NPT		54 1/2 NPT
	BC 1/2 NPT	BF 1/2 NPT	55 1/2 NPT		55 1/2 NPT
	BD 1/2 NPT	BG 1/2 NPT	56 1/2 NPT		56 1/2 NPT
	BE 1/2 NPT	BH 1/2 NPT	57 1/2 NPT		57 1/2 NPT
	BF 1/2 NPT	BI 1/2 NPT	58 1/2 NPT		58 1/2 NPT
	BG 1/2 NPT	BJ 1/2 NPT	59 1/2 NPT		59 1/2 NPT
	BH 1/2 NPT	BK 1/2 NPT	60 1/2 NPT		60 1/2 NPT
	BI 1/2 NPT	BL 1/2 NPT	61 1/2 NPT		61 1/2 NPT
	BJ 1/2 NPT	BM 1/2 NPT	62 1/2 NPT		62 1/2 NPT
	BK 1/2 NPT	BN 1/2 NPT	63 1/2 NPT		63 1/2 NPT
	BL 1/2 NPT	BO 1/2 NPT	64 1/2 NPT		64 1/2 NPT
	BM 1/2 NPT	BP 1/2 NPT	65 1/2 NPT		65 1/2 NPT
	BN 1/2 NPT	BQ 1/2 NPT	66 1/2 NPT		66 1/2 NPT
	BO 1/2 NPT	BR 1/2 NPT	67 1/2 NPT		67 1/2 NPT
	BP 1/2 NPT	BS 1/2 NPT	68 1/2 NPT		68 1/2 NPT
	BQ 1/2 NPT	BT 1/2 NPT	69 1/2 NPT		69 1/2 NPT
	BR 1/2 NPT	BU 1/2 NPT	70 1/2 NPT		70 1/2 NPT
	BS 1/2 NPT	BV 1/2 NPT	71 1/2 NPT		71 1/2 NPT
	BT 1/2 NPT	BW 1/2 NPT	72 1/2 NPT		72 1/2 NPT
	BU 1/2 NPT	BX 1/2 NPT	73 1/2 NPT		73 1/2 NPT
	BV 1/2 NPT	BY 1/2 NPT	74 1/2 NPT		74 1/2 NPT
	BW 1/2 NPT	BZ 1/2 NPT	75 1/2 NPT		75 1/2 NPT
	BY 1/2 NPT	CA 1/2 NPT	76 1/2 NPT		76 1/2 NPT
	BZ 1/2 NPT	CB 1/2 NPT	77 1/2 NPT		77 1/2 NPT
	CA 1/2 NPT	CC 1/2 NPT	78 1/2 NPT		78 1/2 NPT
	CB 1/2 NPT	CD 1/2 NPT	79 1/2 NPT		79 1/2 NPT
	CC 1/2 NPT	CE 1/2 NPT	80 1/2 NPT		80 1/2 NPT
	CD 1/2 NPT	CF 1/2 NPT	81 1/2 NPT		81 1/2 NPT
	CE 1/2 NPT	CG 1/2 NPT	82 1/2 NPT		82 1/2 NPT
	CF 1/2 NPT	CH 1/2 NPT	83 1/2 NPT		83 1/2 NPT
	CG 1/2 NPT	CI 1/2 NPT	84 1/2 NPT		84 1/2 NPT
	CH 1/2 NPT	CJ 1/2 NPT	85 1/2 NPT		85 1/2 NPT
	CI 1/2 NPT	CK 1/2 NPT	86 1/2 NPT		86 1/2 NPT
	CJ 1/2 NPT	CL 1/2 NPT	87 1/2 NPT		87 1/2 NPT
	CK 1/2 NPT	CM 1/2 NPT	88 1/2 NPT		88 1/2 NPT
	CL 1/2 NPT	CN 1/2 NPT	89 1/2 NPT		89 1/2 NPT
	CM 1/2 NPT	CO 1/2 NPT	90 1/2 NPT		90 1/2 NPT
	CN 1/2 NPT	CP 1/2 NPT	91 1/2 NPT		91 1/2 NPT
	CO 1/2 NPT	CQ 1/2 NPT	92 1/2 NPT		92 1/2 NPT
	CP 1/2 NPT	CR 1/2 NPT	93 1/2 NPT		93 1/2 NPT
	CQ 1/2 NPT	CS 1/2 NPT	94 1/2 NPT		94 1/2 NPT
	CR 1/2 NPT	CT 1/2 NPT	95 1/2 NPT		95 1/2 NPT
	CS 1/2 NPT	CU 1/2 NPT	96 1/2 NPT		96 1/2 NPT
	CT 1/2 NPT	CV 1/2 NPT	97 1/2 NPT		97 1/2 NPT
	CU 1/2 NPT	CW 1/2 NPT	98 1/2 NPT		98 1/2 NPT
	CV 1/2 NPT	CX 1/2 NPT	99 1/2 NPT		99 1/2 NPT
	CW 1/2 NPT	CY 1/2 NPT	100 1/2 NPT		100 1/2 NPT
	CX 1/2 NPT	CZ 1/2 NPT			
	CY 1/2 NPT				
	CZ 1/2 NPT				

Stift	Funktion
1	Positiv (+)
2	Negativ (-)
3	Används ej
4	Jord (≡)



Modell	Elektronik-användning	Godkännande	Klassering	Modell	Styrprogram
A	1/2-14 NPT	CE European Standards (CE)	1. Non-Invasive 1	7900	9.0 to 10.0 VDC
B	1/2-14 NPT	CE European Standards (CE)	2. Non-Invasive 2		4.0 to 10.0 VDC
C	1/2-14 NPT	CE European Standards (CE)	3. Non-Invasive 3		1.0 to 10.0 VDC
D	1/2-14 NPT	CE European Standards (CE)	4. Non-Invasive 4		1.0 to 10.0 VDC
E	1/2-14 NPT	CE European Standards (CE)	5. Non-Invasive 5		1.0 to 10.0 VDC
F	1/2-14 NPT	CE European Standards (CE)	6. Non-Invasive 6		1.0 to 10.0 VDC
G	1/2-14 NPT	CE European Standards (CE)	7. Non-Invasive 7		1.0 to 10.0 VDC
H	1/2-14 NPT	CE European Standards (CE)	8. Non-Invasive 8		1.0 to 10.0 VDC
I	1/2-14 NPT	CE European Standards (CE)	9. Non-Invasive 9		1.0 to 10.0 VDC
J	1/2-14 NPT	CE European Standards (CE)	10. Non-Invasive 10		1.0 to 10.0 VDC

Typkod	Titel
1. 1/2-14 NPT	1. 1/2-14 NPT
2. 1/2-14 NPT	2. 1/2-14 NPT
3. 1/2-14 NPT	3. 1/2-14 NPT
4. 1/2-14 NPT	4. 1/2-14 NPT
5. 1/2-14 NPT	5. 1/2-14 NPT
6. 1/2-14 NPT	6. 1/2-14 NPT
7. 1/2-14 NPT	7. 1/2-14 NPT
8. 1/2-14 NPT	8. 1/2-14 NPT
9. 1/2-14 NPT	9. 1/2-14 NPT
10. 1/2-14 NPT	10. 1/2-14 NPT

Stift	Funktion
1	Positiv (+)
2	Negativ (-)
3	Används ej
4	Jord (≡)

