Vizsgálat

UST LÉZERSZKENNER

UST-05LA
Lézerszkenner, 5m, USB, RS422, NPN



- Érzékelési távolság 5m
- 3 érzékelési kimenet
- Érzékelési szög 270°
- USB/RS422 csatlakozás

TERMÉKLEÍRÁS


UST-series scanners offer wide detection angle and quick output response time. Light weight and compact design is unbeatable on the market. Distance detection is based on TOF (Time Of Flight).


- 2D scanner for measuring distance between the sensor and its surroundings.
- Supply voltage 10...30V
- The smallest and lightest of its kind
- Measurement distance, 5m
- Faster response, 66ms
- More flexible field setting available


MŰSZAKI ADATOK


Felvett teljesítmény	0,15 A
Hossz	50 mm
IP-osztály	IP65
Jóváhagyások	CE, RoHS
Lézerosztály	Class 1
Magasság	70 mm
Material Front Glass	Polikarbonát
Max. érzékelési távolság	6 m
Max. üzemi hőmérséklet	50 °C
Min. érzékelési távolság	0,06 m


Min. üzemi hőmérséklet	-10 °C
Reakcióidő	66 ms
Scan speed	25 ms
Scanning Angle	270 °
Szélesség	50 mm
Tápfeszültség	12 V DC / 24 V DC (10-30 V DC ±10 %)
Test anyaga	Alumínium
Tömeg	0,13 kg

























Ethernet cable
Power cable
M20 ETH