



VÉDŐÜVEG SG-LS

SG-LS-900

95ASE1500 Lencsevédő, m = 900 mm

- Alkalmas minden Datalogic fényrácshoz
- Hatékonyan véd a külső por és forgácstól
- Az SG-LS üveg könnyen felszerelhető a rögzítőelemek segítségével








TERMÉKLEÍRÁS

Az SG-LS egy a Datalogic fényfüggönyökre szerelhető védőüveg, amely hatékony védelmet nyújt a fényfüggöny közelében lévő fémekről származó por, forgács és izzó cseppek ellen.

Különleges profiljának és különböző hosszúságú kivitelének köszönhetően minden Datalogic fényfüggönyön alkalmazható.

Az SG-LS védőüveg egyszerűen felszerelhető a mellékelt rögzítőszerkezettel, amely beilleszthető a fényfüggöny oldalán található horonyba.







Technical drawing of a safety rail cross-section. The drawing shows three views: a side view on the left, a front view in the middle, and a rear view on the right. Dimensions are indicated with arrows and numbers. The side view shows a total width of 36.3, with a central section of 13.2 and two side sections of 11.5. The front view shows a total width of 10, with a central section of 5 and two side sections of 2.5. The rear view shows a total width of 10, with a central section of 5 and two side sections of 2.5. The drawing also shows a height of 100 and a distance of 100 from the bottom to the center of the rail.

Measurement in mm




SGL 5548, SE Hand/Finger protection



SE Body protection

VERB	L	L1	L2	VERB	L	L1	L2		
15	242	193	30	2000	842	493	78		VERB
30	392	343	45	3000	942	593	175		SE
45	542	493	60	4000	1042	693	200		VERB
60	692	643	75	5000	1142	793	200		SE
75	842	793	90	6000	1242	893	200		VERB
90	992	943	105	7000	1342	993	200		SE
105	1142	1093	120	8000	1442	1093	200		VERB
120	1292	1243	135	9000	1542	1193	200		SE
135	1442	1393	150	10000	1642	1293	200		VERB
150	1592	1543	165	11000	1742	1393	200		SE
165	1742	1693	180	12000	1842	1493	200		VERB
180	1892	1843	195	13000	1942	1593	200		SE



Remaining space





Measurement in mm									
5512, 5548, SE: nasal/Finger protection									
	VERBS	L	U	L ₂	VERBS	L	U	SE Body protection	
✓COL-SHOOTS	15	245	185	185	20	250	142	190	75
	30	260	245	45	30	280	142	145	15
	45	245	45	45	45	150	142	145	250
	60	485	120	75					
	75	82	190	115					
	90	485	142	175	40	120	142	145	250
✓COL-SHOOTS	105	1128	745	200					
	120	1219	445	200					
	135	1422	525	200					
	150	1584	585	200					
	165	1713	675	200					
	180	1880	745	200					