



VÉDŐÜVEG SG-LS

SG-LS-1350

95ASE1530 Lencsevédő, m = 1350 mm

- Alkalmas minden Datalogic fényrácshoz
- Hatékonyan véd a külső por és forgácstól
- Az SG-LS üveg könnyen felszerelhető a rögzítőelemek segítségével








TERMÉKLEÍRÁS

Az SG-LS egy a Datalogic fényfüggönyökre szerelhető védőüveg, amely hatékony védelmet nyújt a fényfüggöny közelében lévő fémekről származó por, forgács és izzó cseppek ellen.

Különleges profiljának és különböző hosszúságú kivitelének köszönhetően minden Datalogic fényfüggönyön alkalmazható.

Az SG-LS védőüveg egyszerűen felszerelhető a mellékelt rögzítőszerszeggel, amely beilleszthető a fényfüggöny oldalán található horonyba.










Technical drawing of a safety rail cross-section. The drawing shows a side view and a top view. The side view shows a rail with a diameter of 36.3 mm, a height of 10 mm, and a width of 45.3 mm. The top view shows a rail with a diameter of 36.3 mm, a height of 10 mm, and a width of 45.3 mm. The drawing also shows a detail view of the rail end, which is a semi-circular shape with a radius of 10 mm. The drawing is labeled with dimensions in mm.



Measurement in mm

S52, S54B, SE Hand/Finger protection						SE Body protection					
VERB	L	L1	L4	VERB	L	L1	L4				
15	245	193	30	2100	842	493	75	S52, S54B	SE		
30	392	343	45	3100	942	593	175				
45	540	490	60	4100	1042	693	260				
60	688	638	75								
75	837	787	90								
90	985	935	105	4100	1042	693	260	S54B	SE		
105	1133	1083	120								
120	1279	1229	135								
135	1427	1377	150								
150	1585	1535	165								
165	1733	1683	180					S54B	SE		
180	1880	1830	195								
195			210								



Remaining space





		Measurement in mm							
002 0048 SE Hand/Finger protection				SE Body protection					
	VERS	S	L	LA	VERS	S	L	LA	
K-SE BRACKETS	15	240	160	30	2 000	440	490	75	HAND PROTECTION
	30	260	180	45	3 000	440	490	75	
	45	280	200	60	4 000	440	490	75	
	60	300	220	75	5 000	440	490	75	
	75	320	240	90	6 000	440	490	75	
K-SE BRACKETS	15	240	160	30	2 000	440	490	75	HAND PROTECTION
	30	260	180	45	3 000	440	490	75	
	45	280	200	60	4 000	440	490	75	
	60	300	220	75	5 000	440	490	75	
	75	320	240	90	6 000	440	490	75	