



MŰSZAKI ADATOK

Átmérő	90 mm
Felszerelés	Fal
Fényforrás	LED
IP-osztály	IP65
Kábelbemenet	Hátoldal
Lencse színe	Zöld, Narancs, Vörös
Light type	Zöld LED, Narancsszínű LED, Vörös LED
Max. névleges áramerősség	0,043 A
Max. üzemi hőmérséklet	50 °C
Min. névleges áramerősség	0,043 A
Min. üzemi hőmérséklet	-30 °C
Színes ház	Ezüst
Tápfeszültség	24 V
Terminálcsatlakozás	2,5 mm ²



**HOUSING COLOUR (1)**

IP10	01
chrome	02
black	03

NOMINAL VOLTAGE (2)


12 V AC/DC	10
24 V AC/DC	20
100/200 V AC	30
230/240 V AC	40

MODULES (3-8)

HL	LED steady light	1
HE	LED flashing light	8
HDE	Flash buzzer, continuous and pulsing tone, 70-90 dB	02









Lens colour (5)

orange	1
red	2
clear	3
blue	4
green	5
yellow	7



HD

1 2 3 4 5 6 7 8 9

**HOUSING COLOUR (1)**

IP10	01
chrome	02
black	03

NOMINAL VOLTAGE (2)

12 V AC/DC	10
24 V AC/DC	20
100/200 V AC	30
230/240 V AC	40

MODULES (3-8)

HL	LED steady light	1
HE	LED flashing light	8
HDE	Flash buzzer, continuous and pulsing tone, 70-90 dB	02

Lens colour (5)

orange	1
red	2
clear	3
blue	4
green	5
yellow	7



HD

1 2 3 4 5 6 7 8 9

